

Oncologist-approved cancer information from the American Society of Clinical Oncology

Home > Cancer Types > Cervical Cancer

Printed December 8, 2013 from http://www.cancer.net/cancer-types/cervical-cancer/about-clinical-trials

Cervical Cancer - About Clinical Trials

This section has been reviewed and approved by the Cancer.Net Editorial Board [1], August / 2012

About Clinical Trials

Doctors and scientists are always looking for better ways to treat women with cervical cancer. To make scientific advances, doctors create research studies involving people, called clinical trials.

Many clinical trials are focused on new treatments, evaluating whether a new treatment is safe, effective, and possibly better than the current (standard) treatment. These types of studies evaluate new drugs, different combinations of existing treatments, new approaches to radiation therapy or surgery, and new methods of treatment. Women who participate in clinical trials are often among the first to receive new treatments before they are widely available. However, there is no guarantee that the new treatment will be safe, effective, or better than a standard treatment.

There are also clinical trials that study new ways to ease symptoms and side effects during treatment and managing the late effects that may occur after treatment. Talk with your doctor about clinical trials regarding side effects. In addition, there are ongoing studies about ways to prevent the disease.

Women decide to participate in clinical trials for many reasons. For some women, a clinical trial is the best treatment option available. Because standard treatments are not perfect, women are often willing to face the added uncertainty of a clinical trial in the hope of a better result. Other women volunteer for clinical trials because they know that these studies are the only way to make progress in treating cervical cancer. Even if they do not benefit directly from the clinical trial, their participation may benefit future patients with cervical cancer.

Sometimes people have concerns that, by participating in a clinical trial, they may receive no treatment by being given a placebo or a ?sugar pill.? The use of placebos in cancer clinical trials is rare. When a placebo is used in a study, it is done with the full knowledge of the participants. Find out more about placebos in cancer clinical trials [2].

To join a clinical trial, women must participate in a process known as <u>informed consent</u> [3]. During informed consent, the doctor should list all of the woman's options, so that she understands how the new treatment differs from the standard treatment. The doctor must also list all of the risks of the new treatment, which may or may not be different from the risks of standard treatment. Finally, the doctor must explain what will be required of each patient in order to participate in the clinical trial, including the number of doctor visits, tests, and the schedule of treatment. Learn more about <u>clinical trials</u> [4], including patient safety, phases of a clinical trial, deciding to participate in a clinical trial, questions to ask the research team, and <u>links to find cancer clinical trials</u> [5].

For specific topics being studied for cervical cancer, learn more in the <u>Current Research</u> [6] section.

Patients who participate in a clinical trial may stop participating at any time for any personal or medical reason. This may include that the new treatment is not working or there are serious side effects. Clinical trials are also closely monitored by experts who watch for any problems with each study. It is important that patients participating in a clinical trial talk with their doctor and researchers about who will be providing their treatment and care during the clinical trial, after the clinical trial ends, and/or if the patient chooses to leave the clinical trial before it ends.

Links:

- [1] http://www.cancer.net/about-us
- [2] http://www.cancer.net/node/24390
- [3] http://www.cancer.net/node/24386 [4] http://www.cancer.net/node/24863
- [5] http://www.cancer.net/node/24878
- [6] http://www.cancer.net/node/18686