Leukemia - Acute Lymphocytic - ALL - Symptoms and Signs [1]

This section has been reviewed and approved by the Cancer.Net Editorial Board [2], 11/2014

ON THIS PAGE: You will find out more about body changes and other things that can signal a problem that may need medical care. To see other pages, use the menu on the side of your screen.

People with ALL may experience the following symptoms or signs. Sometimes, people with ALL do not show any of these symptoms. Or, these symptoms may be caused by a medical condition that is not cancer:

- Fatigue
- Weakness
- Easy bruising or bleeding
- Pale skin
- Red, pinhead-sized spots on the skin
- Weight loss
- Fever
- Bone or abdominal pain
- Difficulty breathing or shortness of breath
- Frequent infections or infections that come back
- Swollen lymph nodes, also called glands
- Enlarged liver or spleen
- In women, menstruation that lasts longer than usual
- Dizziness
- Headache
- Blurred vision
- Nausea and vomiting

If you are concerned about one or more of the symptoms or signs on this list, please talk with your doctor. Your doctor will ask how long and how often you?ve been experiencing the symptom(s), in addition to other questions. This is to help find out the cause of the problem, called a diagnosis [3].

If leukemia is diagnosed, relieving symptoms remains an important part of care and treatment. This may also be called symptom management, palliative care, or supportive care. Be sure to talk with your health care team about symptoms you experience, including any new symptoms or a change in symptoms.

The next section helps explain what tests and scans may be needed to learn more about the cause of the symptoms. Use the menu on the side of your screen to select Diagnosis, or you can select another section, to continue reading this guide.

Links:
[1] http://www.cancer.net/cancer-types/leukemia-acute-lymphocytic-all/symptoms-and-signs
[2] http://www.cancer.net/about-us
[3] http://www.cancer.net/node/19042