

[Home](#) > [Types of Cancer](#) > [Pleuropulmonary Blastoma - Childhood](#) > [Pleuropulmonary Blastoma - Childhood - Follow-Up Care](#)

PDF generated on July 27, 2016 from
<http://www.cancer.net/cancer-types/pleuropulmonary-blastoma-childhood/follow-care>

[Pleuropulmonary Blastoma - Childhood - Follow-Up Care](#) **[1]**

This section has been reviewed and approved by the [Cancer.Net Editorial Board](#) [2], 03/2016

ON THIS PAGE: You will read about your child's medical care after treatment for PPB is finished and why this follow-up care is important. To see other pages, use the menu.

Care for children diagnosed with PPB doesn't end when active treatment has finished. Your child's health care team will continue to check to make sure the cancer has not returned, manage any side effects, and monitor your child's overall health. This is called follow-up care. All children treated for PPB should have life-long, follow-up care.

Your child's follow-up care may include regular physical examinations, medical tests, or both. Doctors want to keep track of your child's recovery in the months and years ahead. Recommendations for follow-up care according to the risk of possible late effects of treatment have been developed by the Children's Oncology Group and can be found at [CureSearch.org](#) [3].

Learn more about the [importance of follow-up care](#) [4].

Watching for recurrence

One goal of follow-up care is to check for a recurrence. A tumor recurs because small areas of tumor cells may remain undetected in the body. Over time, these cells may increase in number until they show up on test results or cause signs or symptoms.

During follow-up care, a doctor familiar with your child's medical history can give you

personalized information about the risk of recurrence. Your doctor will also ask specific questions about your child's health. Some children may have blood tests or imaging tests as part of regular follow-up care, but testing recommendations depend on several factors, including the type and stage of PPB originally diagnosed and the types of treatment given.

If a recurrence happens, it is more likely to occur in the first few years after the original treatment. Therefore, regular screening should continue for 2 to 3 years, or possibly up to 5 years, after diagnosis. Very rarely, PPB returns after these standard periods of follow-up. It is important to note that PPB can rapidly grow, and this possibility should be discussed with your child's doctor, including what signs and symptoms to watch for.

Managing long-term and late side effects of childhood cancer

Sometimes, side effects may linger beyond the active treatment period. These are called long-term side effects. In addition, other side effects called late effects may develop months or even years afterwards. Late effects can occur almost anywhere in the body and include physical problems, such as heart and lung problems and second cancers, and emotional and cognitive (memory, thinking, and attention) problems, such as anxiety, depression, and learning difficulties.

Based on the type of treatment your child received, the doctor will recommend what examinations and tests are needed to check for late effects, such as Follow-up care should address your child's quality of life, including any developmental or emotional concerns.

The Children's Oncology Group (COG) has studied the physical and psychological effects that childhood cancer survivors face. Based on these studies, COG has created recommendations for long-term follow-up care for childhood, adolescent, and young adult cancer survivors that can be found on a separate website: www.survivorshipguidelines.org [5].

Keeping a child's personal health record

You are encouraged to organize and keep a personal record of the child's medical information. The doctor will help you create this. That way, as the child enters adulthood, he or she has a clear, written history of the diagnosis, the treatment given, and the doctor's recommendations about the schedule for follow-up care. ASCO offers [forms to help create a treatment summary to keep track of the treatment of PPB your child received and develop a survivorship care plan](#) [6] once treatment is completed.

Some children continue to see their oncologist, while others transition back to the general care of their family doctor or another health care professional. This decision depends on several factors, including the type and stage of PPB, side effects, health insurance rules, and your family's personal preferences. Talk with your health care team about your child's ongoing medical care and any concerns you have about his or her future health.

If a doctor who was not directly involved in your child's medical care will lead the follow-up care,

be sure to share the treatment summary and survivorship care plan forms with him or her, as well as all future health care providers. Details about the specific treatment given for PPB are very valuable to the health care professionals who will care for your child throughout his or her lifetime.

The [next section in this guide is Survivorship](#) [7]. It describes how to cope with challenges in everyday life after a PPB diagnosis. Or, use the menu to choose another section to continue reading this guide.

Links

[1] <http://www.cancer.net/cancer-types/pleuropulmonary-blastoma-childhood/follow-care>

[2] <http://www.cancer.net/about-us>

[3] <http://curesearch.org/>

[4] <http://www.cancer.net/node/29386>

[5] <http://www.survivorshipguidelines.org/>

[6] <http://www.cancer.net/node/25394>

[7] <http://www.cancer.net/node/35296>