

Oncologist-approved cancer information from the American Society of Clinical Oncology

Home > Types of Cancer > Thymoma

Printed April 24, 2014 from http://www.cancer.net/cancer-types/thymoma/statistics

Thymoma - Statistics

This section has been reviewed and approved by the Cancer.Net Editorial Board [1], June / 2013

Statistics

ON THIS PAGE: You will find information about how many people learn they have this type of cancer each year and some general survival information. Remember, survival rates depend on several factors. To see other pages in this guide, use the colored boxes on the right side of your screen, or click ?Next? at the bottom

Thymoma is uncommon. Most tumors that begin in the thymus are thymoma. Thymic carcinomas are much rarer and make up less than 1% of tumors that start in the thymus. Thymic carcinoid tumors are even rarer.

Thymoma usually occurs in people between the ages of 40 and 60. Survival rates are different depending on several factors, including the stage and classification of thymoma (see<u>Stages</u> [2]).

Cancer survival statistics should be interpreted with caution. Estimates are based on data from many people with this type of cancer in the United States, but the actual risk for a particular individual may differ. It is not possible to tell a person how long he or she will live with thymoma. Because survival statistics are measured in five-year intervals, they may not represent advances made in the treatment or diagnosis of this cancer. Learn more about<u>understanding statistics</u> [3].

Sources: American Cancer Society and the National Cancer Institute.

Links

[1] http://www.cancer.net/about-us

[2] http://www.cancer.net/node/19678

[3] http://www.cancer.net/node/24961